

GREY DOLOMITE

Our Dolomite has high CaO (>30%) and MgO (>20%) and low impurities such as Fe₂O₃ (<0.03%) and low Sulphur. Dolomite can be ordered in various sizes for steel, glass, agriculture and construction industries.

Capacity 50,000 MT/ month.

Packing Loose or 28 MT in Jumbo Bag per 20FT Container.

Will be shipped after 10-15 days from confirming LC or receiving deposit.


Certification SGS



/	Calcium Oxide (CaO)	30.67%
	Magnesium Oxide (MgO)	21.81%
	Aluminum Oxide (Al₂O₃)	0.11%
	Ferric Oxide (Fe ₂ O ₃)	0.02%
	Silicon Dioxide (SiO₂)	0.12%

DOLOMITE APPLICATION







CONSTRUCTION AGGREGATE

Dolomite sourced from Ha Nam and Thanh Hoa province is less abundant compared to limestone and is used as an aggregate for construction works.



STEEL MAKING

Calcined Dolomite is used as a sintering agent and flux in steel making which increases slag fluidity and protect the magnesia refractory linings.



GLASS MAKING

MgO in Dolomite is essential in making of flat and container glass which improves the durability of the glass as well as devitrification process.

CONTACT US

- Website: www.ngt.vn
- Phone: (+84) 24-3200-9257
- Email: sales@ngt.vn
- Address: No. 76, Duy Tan Street, Dich Vong Hau Ward, Cau Giay District, Hanoi City, Vietnam.
- Mr. Shawn Sales Director
- shawn@ngt.vn
- (Whatsapp, Viber, Wechat)
- English, Vietnamese
- Ms. Thoa CEO
- thoa@ngt.vn
- (Whatsapp, Viber, Wechat)
- Chinese, English, Vietnamese

